



SHENZHE NOBLE OPTO CO.,LTD
green light,green life

Http://www.nobleled.com E-mail:sales@nobleled.com TEL:+86-755-27654119 FAX:+86-755-29002484

4 Inch Incandescent Look LED Traffic Signals



4' Vehicle traffic light



Features/Benefits




- Reduce overall operating & maintenance costs:Energy saving:90% reduction in power consumption vs incandescent
- Reliability & traffic safety:·Improved visibility over life of the product Reduces emergency lamps outs Design minimizes sun phantom effects
- Easy to install into existing signal enclosure

Specifications

Size (Unit: inch (mm))

- Shape:100mm (4")
- High brightness LEDs with integrated optics
- Moisture and dust tight seal
- Total Harmonic Distortion<20%
- Operating Temperature Range(optional): -20°C to 60°C
- Angle:Avg. ≥30° Down ≥30°
- Operating voltage Range:10V to 30VDC
- Insulation Resistance:≥2M
- Life:100,000H
- housing material:Aluminium



SHENZHE NOBLE OPTO CO.,LTD
green light,green life

Http://www.nobleled.com E-mail:sales@nobleled.com TEL:+86-755-27654119 FAX:+86-755-29002484

Building C,MingJinHai Industrial Park,SanJiaoTang,ShiYan Town, BaoAn District,Shenzhen,China
 TEL:86-0755-27651481 FAX:86-0755-27651483 PostCode:518108
 Http://www.nobleled.com Email:sales@nobleled.com Copyright©Noble opto co.,ltd



SHENZHE NOBLE OPTO CO.,LTD

green light,green life

Http://www.nobleled.com E-mail:sales@nobleled.com TEL:+86-755-27654119 FAX:+86-755-29002484

Characteristics

Color	Size	Model Number	Profile	Voltage (VDC)	LEDs	Typical Wattage at 25°C	Luminance (cd/m ²)	Typical Dominant Wavelength (nm)
	(mm)							
Red	100	NBCD100R-1	Round	10~30	28s	<3	>1000	625
Green	100	NBCD100G-1	Round	10~30	27s	<3	>1000	500

Gather to pack:

Model	housing material	Dim.of Outer Carton	Quantity/CTN	G.W/CTN	N.W/CTN	packing
NBCD112-2	PC	230*210*380mm	1PCS	1.6	1.2	carton

our other 100mm traffic signal light link:

L 100mm traffic

light:http://www.nobleled.com/en/showroom/LED_traffic_light/100mm-traffic/4parking-traffic-lights.html

4inch traffic light

core:http://www.nobleled.com/en/showroom/LED_traffic_light/100mm-traffic/4inch-traffic-light-core.html

100mm green traffic light PC

housing:http://www.nobleled.com/en/showroom/LED_traffic_light/100mm-traffic/100mm-green-traffic-light-PC-housing.html

NBJD113-3-C PC 100mm led traffic

light:http://www.nobleled.com/en/showroom/LED_traffic_light/100mm-traffic/100mm-led-traffic-light.html

24V parking traffic

light:http://www.nobleled.com/en/showroom/LED_traffic_light/100mm-traffic/24V-parking-traffic-light.html

!

100mm led signal traffic

light:http://www.nobleled.com/en/showroom/LED_traffic_light/100mm-traffic/100mm-signal-traffic-light.html



SHENZHE NOBLE OPTO CO.,LTD

green light,green life

Http://www.nobleled.com E-mail:sales@nobleled.com TEL:+86-755-27654119 FAX:+86-755-29002484

Building C,MingJinHai Industrial Park,SanJiaoTang,ShiYan Town, BaoAn District,Shenzhen,China
 TEL:86-0755-27651481 FAX:86-0755-27651483 PostCode:518108
[Http://www.nobleled.com](http://www.nobleled.com) Email:sales@nobleled.com Copyright©Noble opto co.,ltd



NOBLE

SHENZHE NOBLE OPTO CO.,LTD

green light,green life

Http://www.nobleled.com E-mail:sales@nobleled.com TEL:+86-755-27654119 FAX:+86-755-29002484

100mm led traffic light Aluminium

housing:http://www.nobleled.com/en/showroom/LED_traffic_light/100mm-traffic/100mm-led-traffic-light-Aluminium-housin.html

products Keywords:**100mm LED traffic light,100mm vehicle traffic signal light,100mm parking traffic light,100mm toll traffic light,12V 4'traffic light,24VDC traffic light,24VAC 4'traffic signal light**



NOBLE

SHENZHE NOBLE OPTO CO.,LTD

green light,green life

Http://www.nobleled.com E-mail:sales@nobleled.com TEL:+86-755-27654119 FAX:+86-755-29002484

Building C,MingJinHai Industrial Park,SanJiaoTang,ShiYan Town, BaoAn District,Shenzhen,China
TEL:86-0755-27651481 FAX:86-0755-27651483 PostCode:518108
[Http://www.nobleled.com](http://www.nobleled.com) Email:sales@nobleled.com Copyright©Noble opto co.,ltd